

RUNNING RIGGING SPECIFICATIONS												
Boat: HUNTER 456 FURL										Selden Mast # RRIC-2587		Date: 10/17/03
OPT/STD	ITEM	QTY	Line Size	Line Type	Color	End 1	Length	End 2				
1 STD	MAIN HALYARD	1	10mm (3/8")	Dyneema	WHITE	307-020 SHACKLE/EYE	39 m	128ft	BARE			
2 STD	JIB HALYARD	1	12mm (1/2")	32/3 pl	RED	307-047 SHACKLE/Knot	40.1 m	131ft	BARE			
3 STD	MAIN TRAVELER LINE	2	8mm (5/16")	16/16 pl	WHITE	EYE	15.8	52ft	BARE			
4 STD	MAINSHEET	1	12mm (1/2")	16/16 pl	BLUE	EYE	22.8 m	75ft	BARE			
5 STD	JIB SHEET	2	12mm (1/2")	16/16 pl	RED	BARE	30.4 m	100ft	BARE			
6 OPT	CRUISING SPINN. SHEET	2	12mm (1/2")	16/16 pl	BLACK	BARE	30.5 m	100ft	BARE			
7 OPT	SPINNER HALYARD	1	12mm (1/2")	16/16 pl	BLACK	307-338 Shackle / Knot	40.3 m	132ft	BARE			
8 STD	RODKICKER TACKLE	1	12mm (1/2")	16/16 pl	WHITE	EYE	9 m	30ft	BARE			
9 STD	BOOM TOPPING LIFT	1	10mm (3/8")	16/16 pl	WHITE	307-046 EYE	33 m	108ft	BARE			
10 OPT	STAYSAIL HALYARD	1	12mm (1/2")	16/16 pl	YELLOW	307-338 Shackle / Knot	32.7 m	107ft	BARE			
11 OPT	STAYSAIL SHEETS	2	12mm (1/2")	16/16 pl	YELLOW	BARE	12.2 m	40ft	BARE			
12 STD	MAINSAIL OUTHAUL	1	10mm (3/8")	16/16 pl	WHITE	EYE	16 m	52ft	BARE			
13 STD	MAINSAIL FURLING LINE	1	10mm (3/8")	16/16 pl	YELLOW	BARE	12.3 m	40ft	BARE			

Boat: HUNTER 456 CONV.		Selden Mast # RRIIG-2617X		RUNNING RIGGING SPECIFICATIONS									
				Date: 10/17/03									
OPT/STD	ITEM	QTY	Line Size	Line Type	Color	End 1	Length	End 2					
1 STD	MAIN HALYARD	1	12mm (1/2")	32/3 pl	BLUE	307-021 SHACKLE / Knot	39 m	128ft	BARE				
2 STD	JIB HALYARD	1	12mm (1/2")	32/3 pl	RED	307-047 SHACKLE / KNOT	40.1 m	132ft	BARE				
3 STD	MAIN TRAVELLER LINE	2	8mm (5/16")	16/16 pl	WHITE	EYE	9 m	30ft	BARE				
4 STD	MAINSHEET	1	12mm (1/2")	16/16 pl	BLUE	EYE	22.8 m	75ft	BARE				
5 STD	REEFING LINE #1	1	12mm (1/2")	16/16 pl	GREEN	BARE	24.8 m	81ft	BARE				
6 STD	REEFING LINE #2	1	12mm (1/2")	16/16 pl	RED	BARE	35.2 m	115ft	BARE				
7 STD	JIB SHEET	2	12mm (1/2")	16/16 pl	RED	BARE	15.2 m	50ft	BARE				
8 OPT	CRUISING SPINN. SHEET	2	12mm (1/2")	16/16 pl	BLACK	BARE	30.5 m	100ft	BARE				
9 OPT	SPINNER HALYARD	1	12mm (1/2")	16/16 pl	BLACK	307-338 Shackle / Knot	40.3 m	132ft	BARE				
11 OPT	RODKICKER TACKLE	1	12mm (1/2")	16/16 pl	WHITE	EYE	9 m	30ft	BARE				
13 STD	LAZY JACK WIRE	2	4 mm (5/32")	Plastic Covered 7x19	WHITE	307-015 SHACKLE/THIMBLE	9.8 m	32ft	RONSTAN BLOCK, THIMBLE				
14 STD	FIXED LAZY JACK LINE	2	10mm (3/8")	16/16 pl	WHITE	BARE	7.1 m	24ft	BARE				
15 STD	BOOM TOPPING LIFT	1	10mm (3/8")	16/16 pl	WHITE	307-013 SHACKLE/EYE	33 m	108ft	BARE				
16 STD	ADJUSTABLE LAZY JACK LINE	2	10mm (3/8")	16/16 pl	WHITE	THIMBLE/EYE	12.2 m	40ft	BARE				
17 OPT	STAYSAIL HALYARD	1	12mm (1/2")	16/16 pl	YELLOW	307-338 Shackle / Knot	32.7 m	107ft	BARE				
18 OPT	STAYSAIL SHEETS	2	12mm (1/2")	16/16 pl	YELLOW	BARE	12.2 m	40ft	BARE				

HUNTER 456 CONV. STANDING RIGGING

	ITEM	QTY	WIRE SIZE		FITTINGS	OVERALL LENGTH	
1	D3	2	3/8"	10 mm	EYE 308-365	14ft 6"	4420 mm
					FORK 308-318-01		
2	V2	2	3/8"	10 mm	EYE 308-365	15ft 9"	4800 mm
					EYE 308-365		
3	D2	2	5/16"	8 mm	T-TERMINAL 308-326	15ft 3"1/2	4660 mm
					STD/FORK TB 174-325-56		
4	RD2	2	1/4"	6 mm	FORK 308-314-01	15ft 7"3/4	4770 mm
					STD/T TB 174-474-21		
5	V1	2	3/8"	10 mm	FORK 308-318-01	25ft 5"1/2	7760 mm
					STD/TGLE TB 174-326-60		
6	D1	2	3/8"	10 mm	EYE 308-365	24ft 7"1/4	7500 mm
					STD/TGLE TB 174-326-60		
7	RD1	2	1/4"	6 mm	FORK 308-314-01	17ft 4"1/4	5290 mm
					STD/TGLE TB 174-324-59		
8	FORESTAY	1	5/16"	8 mm	FURLEX 308-17+	58ft 6"3/8	17840 mm
					039-027-62		
SRIG-2617H							

1. ALL ADJUSTABLE RIGGING IS DIMESIONED WITH TURNBUCKLES 2/3 OPEN.
2. LENGTHS DO NOT INCLUDE SPREADER TIP LINKAGE.

HUNTER 456 FURL STANDING RIGGING

	ITEM	QTY	WIRE SIZE		FITTINGS	OVERALL LENGTH	
1	D3	2	3/8"	10 mm	EYE 308-365	16 ft. 2"	4930 mm
					FORK 308-318-01		
2	V2	2	3/8"	10 mm	EYE 308-365	17 ft. 9 3/4"	5430 mm
					EYE 308-365		
3	D2	2	5/16"	8 mm	T-TERMINAL 308-326	17 ft. 2 5/8"	5250 mm
					STD/FORK TB 174-325-56		
4	RD2	2	1/4"	6 mm	FORK 308-314-01	17 ft. 10 7/8"	5460 mm
					STD/T TB 174-474-21		
5	V1	2	3/8"	10 mm	FORK 308-318-01	21 ft. 4 5/8"	6520 mm
					STD/TGLE TB 174-326-60		
6	D1	2	3/8"	10 mm	EYE 308-365	20 ft. 9 7/8"	6345 mm
					STD/TGLE TB 174-326-60		
7	RD1	2	1/4"	6 mm	FORK 308-314-01	16 ft. 5 5/8"	5020 mm
					STD/T TB 174-474-21		
8	FORESTAY	1	5/16"	8 mm	FURLEX 308-17+	58 ft. 6 3/8"	17840 mm
					039-027-62		
SRIG-2587H							

1. ALL ADJUSTABLE RIGGING IS DIMESIONED WITH TURNBUCKLES 2/3 OPEN.
2. LENGTHS DO NOT INCLUDE SPREADER TIP LINKAGE.