

h460 SELDEN STANDARD STANDING RIGGING SPECIFICATIONS	
BY: KJC	DATE: 25-Jan-98
REVISION: SHORTEN V1 BY 1.5" FROM 24'-1" TO 23'-11.5" 3/18/99	

OPT/STD	ITEM	QUANTITY	WIRE SIZE	UPPER END	LENGTH	LOWER END
1	STD D3	2	3/8" (9.5mm) 1x19	841-3/8 SHROUD TERMINAL	4.089 m	13 ft. 5 in. MARINE EYE FOR 5/8" PIN
2	STD V2	2	3/8" (9.5mm) 1x19	JAW TOGGLE FOR 5/8" PIN	5.293 m	17 ft. 4 3/8 in. MARINE EYE FOR 5/8" PIN
1	STD D2	2	5/16" (8mm) 1x19	841-5/16 SHROUD TERMINAL	5.197 m	17 ft. 5/8 in. 10-16-16 TURNBUCKLE W/ EYE FOR 5/8" PIN
2	STD V1	2	3/8" (9.5mm) DYFORM	JAW TOGGLE FOR 5/8" PIN	7.303 m	23 ft. 11 1/2 in. 12-20-20 TURNBUCKLE
3	STD D1	2	3/8" (9.5mm) DYFORM	841-3/8 SHROUD TERMINAL	7.112 m	23 ft. 4 in. 12-20-20 TURNBUCKLE
3	STD UPPER DIAMOND, RD2	2	1/4" (6.4mm) 1x19	JAW TOGGLE W/ 1/2" PIN	5.197 m	17 ft. 5/8 in. 8-12-12 T-TANG W/ 841-1/4 BACKING PLATE
4	STD LOWER DIAMOND, RD1	2	1/4" (6.4mm) 1x19	JAW TOGGLE W/ 1/2" PIN	4.645 m	15 ft. 2 7/8 in. 8-12-12 TURNBUCKLE WITH UPSET EYE/JAW TOGGLE (1/2" PIN)
	OPT. INNER FORESTAY	1	9/32" (7.1mm) 1x19	841-9/32 SHROUD TERMINAL	12.579 m	41 ft. 3 1/4 in. FORESTAY QUICK RELEASE LEVER W/ 1/2" PIN
5	STD FORESTAY	1	3/8" (9.5mm) 1x19	MARINE EYE WITH 5/8" HOLE	17.729 m	58 ft. 2 in. GIBB 10-20-20 TURNBUCKLE W/ JAW TOGGLE LOOSE

H460 STANDING RIGGING SPECS. (STD.)	
DRAWING NO. 4608050A	DATE
REVISION NO. NONE	

The enclosed sections conform to the H460 WIRE CODE for property rights.

HUNTER

H460 SELDEN FURLING STANDING RIGGING SPECIFICATIONS

BY: KJC DATE: 12-Nov-98 REVISION:

OPT/STD	ITEM	QUANTITY	WIRE SIZE	UPPER END	LENGTH	LOWER END
1	STD D3	2	3/8" (9.5mm) 1 X 19	RBS 10, BC10, SB12 STEMBALL IN BACKING SHELL	4.54 m	14.91 ft. ME12 MARINE EYE
2	STD V2	2	3/8" (9.5mm) 1 X 19	RTJ1220 JAW TOGGLE	5.24 m	17.18 ft. ME12 MARINE EYE
1	STD D2	2	5/16" (8mm) 1 X 19	RTJ1220 JAW TOGGLE	5.15 m	16.88 ft. TB122020 12-20-20 TURNBUCKLE
2	STD V1	2	3/8" (9.5mm) DYFORM	RBS 07A, SB10 STEMBALL IN BACKING SHELL	6.92 m	22.69 ft. 10-16-16 TURNBUCKLE W/ EYE
3	STD D1	2	3/8" (9.5mm) DYFORM	RBS 10, BC10, SB12 STEMBALL IN BACKING SHELL	6.67 m	21.87 ft. 12-20-20 TURNBUCKLE W/ JAW TOGGLE
3	STD UPPER DIAMOND, RD2	2	1/4" (6.4mm) 1 X 19	ME08 MARINE EYE	5.15 m	16.90 ft. 8-12-12 STEMBALL TURNBUCKLE IN BACKING SHELL
4	STD LOWER DIAMOND, RD1	2	1/4" (6.4mm) 1 X 19	ME08 MARINE EYE	6.04 m	19.82 ft. 8-12-12 STEMBALL TURNBUCKLE WITH JAW TOGGLE
	OPT. INNER FORESTAY	1	9/32" (7.1mm) 1 X 19	SBENG116 J2001616, ME09, STEMBALL EYE, JAW TOGGLE	12.49 m	40.98 ft. FORESTAY QUICK RELEASE LEVER
5	STD FORESTAY	1	3/8" (9.5mm) 1 X 19	SBENG220, J2002020, ME012, STEMBALL EYE, JAW TOGGLE	17.32 m	56.81 ft. GIBB 10-20-20 TURNBUCKLE W/ JAW TOGGLE LOOSE

BOAT: H460

BY: KJC

DATE.

7/24/98

REVISION:

CHECKED BY:

DATE: _____

OPT/STD	ITEM	QUANTITY	LINE SIZE	LINE TYPE	COLOR	END 1	LENGTH	END 2
1 STD	MAIN HALYARD	1	7/16" (11MM)	XLS EXTRA	BLUE	HEADBOARD SHACKLE	39.0 m	128 ft BARE
2 STD	JIB HALYARD	1	7/16" (11MM)	XLS EXTRA	RED	EYE	40.1 m	132 ft BARE
3 STD	MAIN TRAVELER LINE	2	5/16" (8MM)	LS	WHITE	SMALL EYE	7.0 m	23 ft BARE
4 STD	MAINSHEET	1	7/16" (11MM)	XLS	BLUE FLECK	SMALL EYE	22.8 m	75 ft BARE
5 STD	BOOM TOPPING LIFT	1	3/8" (9.5MM)	LS	WHITE	BARE	33.0 m	108 ft BARE
6 STD	REEFING LINE #1	1	7/16" (11MM)	LS	GREEN FLECK	BARE	24.8 m	82 ft BARE
7 STD	REEFING LINE #2	1	7/16" (11MM)	LS	RED FLECK	BARE	35.2 m	116 ft BARE
8 STD	JIB SHEET	2	1/2" (12.5MM)	LS	RED FLECK	BARE	15.2 m	50 ft BARE
9 OPT	CRUISING SPINN. SHEET	2	7/16" (11MM)	LS	BLACK FLECK	BARE	30.5 m	100 ft BARE
10 OPT	SPINNAKER HALYARD	1	7/16" (11MM)	XLS	BLACK	SNAP SHACKLE NF11000s	40.1 m	132 ft BARE
11 OPT	STAYSAIL HALYARD	1	7/16" (11MM)	XLS	GREEN	SNAP SHACKLE NF11000s	32.7 m	107 ft BARE
12 OPT	STAYSAIL SHEETS	2	7/16" (11MM)	LS	GREEN FLECK	BARE	12.2 m	40 ft BARE
13 STD	LAZY JACK WIRE	2	5/32" (4MM)	PLASTIC COATED 1x19 WIRE	WHITE	EYE & THIMBLE, SMALL SHACKLE	4.9 m	16 ft EYE & THIMBLE, HARKEN 125 OR SCHAEFER 300-02
14 STD	FIXED LAZY JACK LINE	2	3/8" (9.5MM)	LS	WHITE	BARE	7.1 m	23 ft BARE
15 STD	ADJUSTABLE LAZY JACK LINE	2	3/8" (9.5MM)	LS	WHITE	SS THIMBLE SPLICED	12.2 m	40 ft BARE

FURLING MAST RUNNING RIGGING SPECIFICATIONS

BOAT: H460	FILE NAME: H460 SELDEN RUNNING	REVISION: REMOVED MAIN HALYARD 8/28/98
BY: KJC	DATE: 2/6/98	
CHECKED BY:	DATE:	

OPT/STD	ITEM	QUANTITY	LINE SIZE	LINE TYPE	COLOR	END 1	LENGTH	END 2
1 STD	JIB HALYARD	1	7/16" (11MM)	XLS EXTRA	RED	EYE	40.1 m 132 ft	BARE
2 STD	MAIN TRAVELER LINE	2	5/16" (8MM)	LS	WHITE	SMALL EYE	7.9 m 26 ft	BARE
3 STD	MAINSHEET	1	7/16" (11MM)	XLS	BLUE FLECK	SMALL EYE	22.8 m 75 ft	BARE
4 STD	BOOM TOPPING LIFT	1	3/8" (9.5MM)	LS	WHITE	BARE	33.0 m 108 ft	BARE
5 STD	JIB SHEET	2	1/2" (12.5MM)	LS	RED FLECK	BARE	15.2 m 50 ft	BARE
6 STD	MAIN FURLING LINE	1	3/8" (9.5MM)	LS	BLUE	BARE	12.3 m 41 ft	BARE
7 OPT	CRUISING SPINN. SHEET	2	7/16" (11MM)	LS	BLACK FLECK	BARE	30.5 m 100 ft	BARE
8 OPT	SPINNAKER HALYARD	1	7/16" (11MM)	XLS	BLACK	SNAP SHACKLE NF-11000s	40.1 m 132 ft	BARE
9 OPT	STAYSAIL HALYARD	1	7/16" (11MM)	XLS	GREEN	SNAP SHACKLE NF-11000s	32.7 m 107 ft	BARE
10 OPT	STAYSAIL SHEETS	2	7/16" (11MM)	LS	GREEN FLECK	BARE	12.2 m 40 ft	BARE