

326
SCHEMATICS

12/17/2004

INDEX

PAGE

3. *DC Panel*
4. *DC Panel Schematic*
5. *DC Panel Connectors*
7. *AC Panel*
8. *AC Panel Schematic*
9. *Misc. Harness Adapters*
10. *Hull Harness*
11. *Hull Harness Connectors*
12. *Deck Harness - A*
13. *Deck Harness - B*
14. *Deck Harness Connectors*
15. *Misc. Wire Kits*

SYMBOL	REVISIONS	DATE	ENG

LIST OF DETAILS TO BE INCLUDED WITH PANEL.


- 20 AMP RESET WIRED TO A HOT BUS THEN TO 12VDC OUTLETS THEN TO PLUG
- TWO 12VDC OUTLETS.
- WIRE PANEL WITH PLUGS.
- PREWIRE PANEL FOR OPTIONAL EQUIPMENT.
- HINGE WITH MOUNTING SCREW HOLES
- BACK LIGHTING OF LABELS AND VOLT METER
- SUPPLY WIRES FOR BACK LIGHTING AC SUB PANEL,
- USE SPADE CONNECTORS FOR EASY CONNECTIONS.
- WIRE MACERATOR TOGGLE SWITCH TO MACERATOR BREAKER.
- 5 AMP RESET WIRED HOT TO THE BILGE CIRCUIT FOR CO ALARMS.

BREAKER LIST TO BE SUPPLIED WITH PANEL.

- CABIN LIGHTS :20 AMPS
- LP GAS : 5 AMPS
- REFRIGERATOR :15 AMPS
- TANK INDICATOR : 5 AMPS
- WATER PUMP :10 AMPS
- SUMP PUMP :10 AMPS
- BLOWER :10 AMPS
- STEREO :10 AMPS
- MACERATOR :20 AMPS
- ANCHOR LIGHT : 5 AMPS
- STEAMING LIGHT : 5 AMPS
- RUNNING LIGHTS :10 AMPS
- VHF RADIO :10 AMPS
- INSTRUMENTS : 5 AMPS
- TV/DVD :NDNE
- HEAD :NDNE
- SPARE :NDNE

NOTE:

- PANEL MATERIAL - 1/8" ALUMINUM
- PANEL COLOR/FINISH - FLAT CARBON BLACK WITH GLOSSY BLACK BORDER
- BACK LIGHTING COLOR - BLUE
- BREAKER INDICATOR LIGHTS - RED LED
- BREAKER HANDLE COLOR - BLACK
- TOGGLE SWITCHES INDICATORS - RED
- ADD HINGE TO BOTTOM OF PANEL.
- SEE ELECTRICAL SCHEMATIC FOR BACKSIDE



PROJECT USE INFORMATION: THE DRAWING IS THE PROPERTY OF HUNTER GEM CORPORATION AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM.

HUNTER GEM

DRAWING TITLE: 12VDC PANEL

2004 MODEL YEAR FOR H306/H326/H33/H36

SCALE: 1:1000

DATE: 15-Apr-2003

DESIGNER: JLK

CHECKED: [Signature]

REVISION: 1

SHEET 1 OF 1

NO. 00051001A

DC PANEL CONNECTORS for 306, 326, 33 & 356

All connectors to be female pins with male connectors.

REV. E
11/20/2003

CONN. A	WIRE# (HULL)	WIRED TO ON PANEL	CONN. TYPE
1	#34, 14ga Red, 12V OUTLET	12VDC OUTLET RESET	Deutsch - DTP Series - 4pin
2	#36, 14ga Red, 12V OUTLET	12VDC OUTLET RESET	
3	#5, 12ga Brown/Red, BILGE MANUAL	BILGE TOGGLE SWITCH	
4	#10, 12ga Tan, BILGE POWER	BILGE TOGGLE SWITCH	

CONN. B	WIRE# (HULL)	WIRED TO ON PANEL	CONN. TYPE
1	#44, 14ga Blue, CABIN LIGHTS	CABIN LIGHT BREAKER	Deutsch - DT Series - 6 pin
2	#46, 14ga Blue, CABIN LIGHTS	CABIN LIGHT BREAKER	
3	#3, 16ga Orange/Red, LPG	LP GAS BREAKER	
4	#32, 16ga Red/Blue, CO ALARM	CO ALARM RESET	
5	#32A, 16ga Red/Blue, CO ALARM	CO ALARM RESET	
6			

CONN. C	WIRE# (HULL)	WIRED TO ON PANEL	CONN. TYPE
1	#20, 10ga Brown/White, MACERATOR	MACERATOR BREAKER	Deutsch - DTP Series - 4pin
2	#24, 12ga Brown, WATER PUMP	WATER PUMP BREAKER	
3	#28, 12ga Brown/Black, SUMP PUMP	SUMP PUMP BREAKER	
4	#22, 12ga Brown/Blue, BLOWER	BLOWER BREAKER	

CONN. D	WIRE# (HULL)	WIRED TO ON PANEL	CONN. TYPE
1	#1, 10ga Red/Black, REFRIGERATOR	REFRIGERATOR BREAKER	Deutsch - DTP Series - 2pin
2	#38, 10ga Brown/Pink, HEAD	branches to HEAD location on panel, but not connected	

CONN. E	WIRE# (PANEL TO PANEL)	WIRED TO ON PANEL	CONN. TYPE
1	16ga Blue, PANEL LIGHTS	PANEL LIGHT BREAKER	Deutsch - DT Series - 2 pin
2	16ga Yellow, PANEL LIGHTS (-)	DC NEGATIVE BUS	


CONN. F	WIRE# (DECK)	WIRED TO ON PANEL	CONN. TYPE
1	#1, 16ga Blue, MAIN LIGHTS	CABIN LIGHT BREAKER	Deutsch - DT Series - 12 pin
2	#3A, 16ga Blue, FORWARD LIGHTS	CABIN LIGHT BREAKER	
3	#5A, 14ga Gray/Red, ANCHOR LIGHT	ANCHOR LIGHT BREAKER	
4	#6A, 14ga Gray/Green, STEAMING LIGHT	STEAMING LIGHT BREAKER	
5	#13, 16ga Blue, PORT AFT LIGHTS	CABIN LIGHT BREAKER	
6	#28A, 16ga Red/White, VHF PWR	VHF RADIO BREAKER	
7	#11, 16ga Blue, STBD LIGHTS	CABIN LIGHT BREAKER	
8	#15, 16ga Gray/Yellow, STERN LIGHT	RUNNING LIGHTS BREAKER	
9	#19, 16ga Blue/White, ARCH LIGHT	CABIN LIGHT BREAKER	
10	#25, 16ga Gray/White, BOW LIGHT	RUNNING LIGHTS BREAKER	
11	#27, 16ga Tan, WINDLASS	WINDLASS BREAKER	
12	#16, 16ga Red/Black, GPS	GPS BREAKER	

CONN. G	WIRE# (TO TANK MONITOR)	WIRED TO ON PANEL OR OTHER	CONN. TYPE
1	#53, 16ga Red/Orange, TANK MONITOR (+)	TANK DISPLAY BREAKER	Deutsch - DT Series - 2 pin
2	#54, 16ga Yellow, TANK MONITOR (-)	DC NEGATIVE BUS	

CONN. S	WIRE# (STEREO PWR)	WIRED TO ON PANEL	CONN. TYPE
1	#50, 16ga Red, STEREO PWR	STEREO BREAKER	Deutsch - DT Series - 3 pin
2	#51, 16ga Yellow/Red, STEREO MEMORY	center post bilge toggle switch with #5 brown/red wire	
3	#52, 16ga Yellow, STEREO (-)	DC NEGATIVE BUS	

	WIRE#	WIRED TO ON PANEL	
	#55, 16ga Blue, CHART LIGHT (+)	CABIN LIGHT BREAKER, 66" total length	blue butt splice
	#56, 16ga Yellow, CHART LIGHT (-)	DC NEGATIVE BUS, 66" total length	blue butt splice

SYMBOL	REVISIONS	DATE	ENG



- BREAKER LIST TO BE SUPPLIED WITH PANEL FOR 120V-60 HERTZ VERSION.
- AC MAIN :30 AMP, DOUBLE
 - OUTLETS :15 AMP
 - MICROWAVE :15 AMP
 - BATTERY CHARGER :15 AMP
 - WATER HEATER :15 AMP
 - SPARE :NONE
- BREAKER LIST TO BE SUPPLIED WITH PANEL FOR 230V-50 HERTZ VERSION.
- AC MAIN :15 AMP, DOUBLE
 - OUTLETS :10 AMP
 - MICROWAVE :10 AMP
 - BATTERY CHARGER :10 AMP
 - WATER HEATER :10 AMP
 - SPARE :NONE

- NOTE:
1. PANEL MATERIAL - 1/8" ALUMINUM
 2. PANEL COLOR/FINISH - FLAT CARBON BLACK WITH GLOSSY BLACK BORDER
 3. BACK LIGHTING COLOR - BLUE
 4. AC MAIN INDICATOR - GREEN USING NEON BULB
REVERSE POLARITY INDICATOR - RED USING NEON BULB
 5. BREAKER HANDLE COLOR - BLACK
 6. ADD HINGE TO BOTTOM OF PANEL.
 7. SEE ELECTRICAL SCHEMATIC FOR BACKSIDE

PROPRIETARY INFORMATION- THIS DRAWING CONTAINS INFORMATION FOR WHICH HUNTER MARINE CORPORATION HAS PROPRIETARY RIGHTS



HUNTER



DRAWING TITLE:
120/230VAC PANEL STD
2004 MODEL YEAR FOR H306/H326/H33

DRAWN BY: JLK	DATE: 11-Apr-2003	SHEET 1	OF 1
SCALE: 1.000	HUNTER PART NO. TBD	REVISION	DRAW # 00051004A


CHECKED

SYMBOL	REVISIONS	DATE	ENG

LEGEND

- = 8ga wire
- = 18-14ga wire
- 10ga marked as shown.

NOTE: ALL INDICATOR LIGHTS NEUTRAL WIRES CONNECTS TO LINE 1 NEUTRAL BUS UNLESS SPECIFIED.



BREAKER LIST FOR 120V PANEL -

- AC MAIN - 30 AMP
- OUTLETS - 15 AMP
- MICROWAVE - 15 AMP
- BATTERY CHARGER - 15 AMP
- WATER HEATER - 15 AMP

BREAKER LIST FOR 230V PANEL -

- AC MAIN - 15 AMP
- OUTLETS - 10 AMP
- MICROWAVE - 10 AMP
- BATTERY CHARGER - 10 AMP
- WATER HEATER - 10 AMP

NOTE:

1. THIS SCHEMATIC MAYBE USED WITH DWG #00051002A AND #00051004A.
2. WIRES MUST BE UNIFORM AND TIE-WRAPED AS NEEDED.
3. SOME COMPONENTS SHOWN MAY NOT BE EXACT.
4. ALL DIMINSIONS IF ANY ARE IN INCHES.

PROPRIETARY INFORMATION: THIS DRAWING CONTAINS INFORMATION FOR WHICH HUNTER MARINE CORPORATION HAS PROPRIETARY RIGHTS.



HUNTER GEN

DRAWING TITLE:

STD AC PANEL SCHEMATIC


DRAWN BY:	DATE:	SHEET	OF
JLK	17-Dec-03	1	1
SCALE:	HUNTER PART NO.	REVISION	DRAW #
0.625	TBD	-	00051002A-SCH

CHECKED:

CONN. T	TANK MONITOR ADAPTER	MATCHES	CONN. TYPE
1	pink, FUEL SENSOR (S)	#41, 16ga pink, FUEL SENSOR (S)	Deutsch - DT Series - 6 pin male connector w/female pins
2	orange/white, FUEL SENSOR (+)	#43, 16ga orange/white, FUEL SENSOR (+)	
3	orange/green, WASTE SENSOR (+)	#14, 16ga orange/green, WASTE SENSOR (+)	
4	pink/gray, WASTE SENSOR (S)	#15, 16ga pink/gray, WASTE SENSOR (S)	
5	orange/blue, WATER SENSOR (+)	#17, 16ga orange/blue, WATER SENSOR (+)	
6	pink/black, WATER SENSOR (s)	#18, 16ga pink/black, WATER SENSOR (s)	
CONN. G			
1	red/blue, TANK MONITOR (+)	#53, 16ga red/orange, TANK MONITOR (+)	DT Series - 2 pin female connector w/male pins
2	yellow or black, TANK MONITOR (-)	#54, 16ga yellow, TANK MONITOR (-)	

CONN. S	STEREO ADAPTER	MATCHES	CONN. TYPE
1	RED, STEREO PWR	#50, 16ga red, STEREO PWR	Deutsch-DT 3 pin female connector w/male pins
2	YELLOW, STEREO MEMORY	#51, 16ga yellow/red, STEREO MEMORY	
3	BLACK, STEREO (-)	#52, 16ga yellow, STEREO (-)	
CONN. SS			
1	WHITE	#9, 16ga white/orange, PORT MAIN SPEAKER (+)	Deutsch - DT Series - 8 pin male connector w/female pins
2	WHITE/BLACK	#10, 16ga white/yellow, PORT MAIN SPEAKER (-)	
3	GREEN	#21, 16ga white/pink, PORT ARCH SPEAKER (+)	
4	GREEN/BLACK	#22, 16ga white/yellow, PORT ARCH SPEAKER (-)	
5	PURPLE	#23, 16ga white/gray, STBD ARCH SPEAKER (+)	
6	PURPLE/BLACK	#24, 16ga white/black, STBD ARCH SPEAKER (-)	
7	GRAY	#30, 16ga white/blue, STBD MAIN SPEAKER (+)	
8	GRAY/BLACK	#31, 16ga white/black, STBD MAIN SPEAKER (-)	

CONN. Arch	ARCH HARNESS	MATCHES	CONN. TYPE
1	16ga blue/white, ARCH LIGHT	#19, 16ga blue/white, ARCH LIGHT	Deutsch - DT Series - 6 pin male connector w/female pins
2	16ga yellow, ARCH LIGHT (-)	#20, 16ga yellow, ARCH LIGHT (-)	
3	16ga white/pink, PORT ARCH SPEAKER (+)	#21, 16ga white/pink, PORT ARCH SPEAKER (+)	
4	16ga white/yellow, PORT ARCH SPEAKER (-)	#22, 16ga white/yellow, PORT ARCH SPEAKER (-)	
5	16ga white/gray, STBD ARCH SPEAKER (+)	#23, 16ga white/gray, STBD ARCH SPEAKER (+)	
6	16ga white/black, STBD ARCH SPEAKER (-)	#24, 16ga white/black, STBD ARCH SPEAKER (-)	



ALL DEUTSCH CONNECTORS

* SEE RELAY DETAIL

3/8 ring
 5/16 RING
 1/4 RING
 #10 ring
 barrel

1/4 QUICK W/PB
 1/4 QUICK CONNECT

#3 single barrel (each wire)
#4 single barrel (together)

1	10	RED\BLACK	13'6"	REFRIGERATION	21	10	YELLOW	26'	MACERATOR GND.	43	16	PINK	31'	FUEL SENSOR
2	10	YELLOW	10'	REFRIGERATION GND.	22	12	BROWN\BLUE	22'	BLOWER	61	10	BROWN/TAN	8'	HW PUMP AUTO
3	16	ORANGE\RED	50'6"	LPG	23	12	YELLOW	19'6"	BLOWER GND	62	10	BROWN/RED	7'6"	HW PUMP MANUAL
4	16	YELLOW	47'	LPG GND.	24	12	BROWN	12'6"	WATER PUMP	63	10	YELLOW	8'	HW PUMP NEG
5	12	BROWN\RED	8'6"	BILGE	25	12	YELLOW	8'	WATER PUMP GND.	64	16	YELLOW/BROWN	30'6"	HW RELAY SW
6	12	BROWN\ORANGE	3'9"	BILGE AUTO	28	12	BROWN\BLK	17'	SUMP PUMP	65	16	BROWN/RED	30'6"	HW ALARM IND.
7	12	YELLOW	5'	BILGE GND.	29	12	YELLOW	13'6"	SUMP GND	66	16	YELLOW	31'	HW ALARM NEG
8	6	YELLOW	6'6"	DC GND.	32	16	RED\BLUE	4'	CO DETECTOR					
9	6	ORANGE\RED	7'3"	DC POWER	33	16	YELLOW	5'6"	CO GROUND					
10	12	TAN	6'3"	BILGE AUTO POWER										
11	8	ORANGE\GREEN	3'9"	BATTERY CHARGER										
12	8	ORANGE\RED	3'9"	BATTERY CHARGER										
13	8	YELLOW	3'	BATT CHARGER GND										
14	16	ORANGE\GREEN	29'	WASTE LEVEL IND.										
15	16	PINK\GRAY	29'	WASTE LEVEL IND.										
16	16	YELLOW	25'	WASTE LEVEL GND.										
17	16	ORANGE\BLUE	14'	WATER LEVEL IND.										
18	16	PINK\BLACK	14'	WATER LEVEL IND.										
19	16	YELLOW	12'	WATER LEVEL GND.										
20	10	BROWN\WHITE	29'6"	MACERATOR										



6891 N.W. 73rd COURT
Miami, FL. 33166
Ph. 305-888-7709
Fax 305-888-7285

TITLE			
Hunter 326 Engine Hull Harness UPDATED 6/9/2003			
SIZE	CAGE CODE	DWG NO	REV
A			H
SCALE	NONE	SHEET	03/02/03

Robin Martin

HULL HARNESS CONNECTORS for 326

All connectors to be male connectors.

Rev. A 8/14/2003


CONN. A	WIRE# (HULL)	NOTES:	CONN. TYPE
1			Deutsch - DTP Series - 4 pin
2			
3	#5, 12ga Brown/Red, BILGE MANUAL		
4	#10, 12ga Tan, BILGE POWER		

CONN. B	WIRE# (HULL)		CONN. TYPE
1			Deutsch - DT Series - 6 pin
2			
3	#3, 16ga Orange/Red, LPG		
4	#32, 16ga Red/Blue, CO ALARM		
5			
6			

CONN. C	WIRE# (HULL)		CONN. TYPE
1	#20, 10ga Brown/White, MACERATOR		Deutsch - DTP Series - 4 pin
2	#24, 12ga Brown, WATER PUMP		
3	#28, 12ga Brown/Black, SUMP PUMP		
4	#22, 12ga Brown/Blue, BLOWER		

CONN. D	WIRE# (HULL)		CONN. TYPE
1	#1, 10ga Red/Black, REFRIGERATOR		Deutsch - DTP Series - 2 pin
2			

CONN. T	WIRE# (HULL)		CONN. TYPE
1	#41, 16ga Pink, FUEL SENSOR (S)		Deutsch - DT Series - 6 pin
2	#43, 16ga Orange/White, FUEL SENSOR (+)		
3	#14, 16ga Orange/Green, WASTE SENSOR (+)		
4	#15, 16ga Pink/Gray, WASTE SENSOR (S)		
5	#17, 16ga Orange/Blue, WATER SENSOR (+)		
6	#18, 16ga Pink/Black, WATER SENSOR (s)		








1	16	BLUE	42'6"	MAIN CABIN LIGHTS
2	16	YELLOW	42'6"	MAIN CABIN LIGHT GND.
3	16	BLUE	41'	FWD. CABIN LIGHTS
4	16	YELLOW	41'	FWD. CABIN LIGHT GND.
5	16	GRAY\RED	11'6"	ANCHOR LIGHT
6	16	GRAY\GREEN	11'6"	STEAMING LIGHT
7	16	GRAY	11'6"	DECKING LIGHT
8	12	YELLOW	11'6"	NAV. LIGHT GND.
9	16	WHITE\ORANGE	12'	PORT MAIN SPEAKER
10	16	WHITE\YELLOW	12'	PORT MAIN SPEAKER GND.
25	16	GRAY\WHITE	17'	BOW LIGHT
26	16	YELLOW	17'	BOW LIGHT GND.
27	16	TAN	17'	WINDLASS
30	16	WHITE\BLUE	19'	STBD MAIN SPEAKER
31	16	WHITE\BLACK	19'	STBD MAIN SPEAKER GND.
32	16	RED\BLUE	14'	CO ALARM
33	16	YELLOW	14'	CO GROUND

6891 N.W. 73rd COURT
Miami, FL. 33166
Ph. 305-888-7709
Fax 305-888-7285

Robin Martin


TITLE			
Hunter 320 forward headliner			
SIZE	CAGE CODE	DWG NO	REV
A			12/01/2001 F
SCALE	None		SHEET



28 wire plugs in to connector "C" of the FWD headliner Harness


- (D)** CONNECTOR Male AMP 770021-1
- (E)** CONNECTOR Male AMP 770020-1
- (F)** CONNECTOR Male AMP 770020-1

- Light Connectors
blue wires bullet RECEPT.
yellow wires bullet PLUG
- #10 Ring
- Barrel Connector



11	16	BLUE	46'6"	AFT CABIN LIGHTS	39	10	RED	30'6"	AUTO PILOT
12	16	YELLOW	46'6"	AFT CABIN LIGHT GND	40	10	YELLOW	30'6"	AUTO PILOT GND.
44	16	RED\BLUE	21'	CO ALARM					
15	16	GRAY\YELLOW	48'6"	STERN LIGHT					
16	16	RED\BLACK	30'6"	GPS	19	16	BLUE\WHITE	19'6"	ARCH LIGHT
18	16	YELLOW	48'6"	STERN LIGHT GND.	20	16	YELLOW	19'6"	ARCH LIGHT GND
45	16	YELLOW	21'	CO GROUND	21	16	WHITE\PINK	19'6"	PORT ARCH SPK.
					22	16	WHITE\YELLOW	19'6"	PORT ARCH SPK. GND
28	16	RED\WHITE	13'	VHF POWER	23	16	WHITE\GRAY	19'6"	STBD ARCH SPK.
29	16	YELLOW	13'	VHF GROUND	24	16	WHITE\BLACK	19'6"	STBD ARCH SPK. GND

GREEN ITEMS=ITEMS TO BE UPDATED
2/4/2003, REV. L



6891 N.W. 73rd COURT
Miami, FL. 33166
Ph. 305-888-7709
Fax 305-888-7285

TITLE
Hunter 320 AFT Headliner Harness

SIZE B	CAGE CODE	DWG NO	REV M
SCALE NONE			SHEET

4

3

2

1

DECK HARNESS CONNECTORS for 326

All connectors to be male connectors.

8/14/2003

Note: Add one foot of length to all wires on connector end of harness.

REV. A

CONN. F	WIRE# (DECK)	NOTES:	CONN. TYPE
1	#1, 16ga blue, MAIN LIGHTS		Deutsch - DT Series - 12 pin
2	#3, 16ga blue, FORWARD LIGHTS		
3	#5, 16ga gray/red, ANCHOR LIGHT		
4	#6, 16ga gray/green, STEAMING LIGHT		
5	#13, 16ga blue, PORT AFT LIGHTS		
6	#28, 16ga red/white, VHF PWR		
7	#11, 16ga blue, STBD LIGHTS		
8	#15, 16ga gray/yellow, STERN LIGHT		
9	#19, 16ga blue/white, ARCH LIGHT		
10	#25, 16ga gray/white, BOW LIGHT		
11	#27, 16ga tan, WINDLASS		
12	#16, 16ga red/black, GPS		

CONN. SS	WIRE# (TO STEREO)		CONN. TYPE
1	#9, 16ga white/orange, PORT MAIN SPEAKER (+)		Deutsch - DT Series - 8 pin
2	#10, 16ga white/yellow, PORT MAIN SPEAKER (-)		
3	#21, 16ga white/pink, PORT ARCH SPEAKER (+)		
4	#22, 16ga white/yellow, PORT ARCH SPEAKER (-)		
5	#23, 16ga white/gray, STBD ARCH SPEAKER (+)		
6	#24, 16ga white/black, STBD ARCH SPEAKER (-)		
7	#30, 16ga white/blue, STBD MAIN SPEAKER (+)		
8	#31, 16ga white/black, STBD MAIN SPEAKER (-)		

CONN. Arch	WIRE# (TO ARCH)		CONN. TYPE
1	#19, 16ga blue/white, ARCH LIGHT		Deutsch - DT Series - 6 pin
2	#20, 16ga yellow, ARCH LIGHT (-)		
3	#21, 16ga white/pink, PORT ARCH SPEAKER (+)		
4	#22, 16ga white/yellow, PORT ARCH SPEAKER (-)		
5	#23, 16ga white/gray, STBD ARCH SPEAKER (+)		
6	#24, 16ga white/black, STBD ARCH SPEAKER (-)		

No Connector	WIRE# (to spare on panel)	NOTE:	
	#39, 10ga red, AUTOPILOT	Make 2' longer than connectors starting point.	
	#7, 16ga gray, DECK LIGHT		

**326
ENGINE STAGE 26**

REVISION
A: 02-19-03
B: 04/14/03
C: 07/28/03

10 GAUGE

14'



16-2 DUPLEX

20'



16 GAUGE

6' INCHES



16 GAUGE

5'



#	GAUGE	EYE	COLOR	EYE	LENGTH	DESCRIPTION
1	10 GA		GREEN/YELLOW		14'	FUEL FILL GRD
2	16-2		WHITE		20'	FIRE EXT.
3	16 GA		RED		6 INCHES	BLOWER RELAY
4	16 GA		YELLOW		5'	BLOWER RELAY GRD.

**306
DECKRIGGING STAGE 26**

16 GAUGE

4'



2.5'




#	SIZE	EYE	COLOR	EYE	LENGTH	DESCRIPTION
1	16 GA		WHITE/BROWN		4'	SHUTDOWN BYPASS
2	16 GA		RED		2.5'	SHUTDOWN POWER
3	16 GA		YELLOW		2.5'	SHUTDOWN NEGATIVE


326
MODULE STAGE 24A

REVISION
A: 02-19-03
B:
C:



2 GAUGE



4 GAUGE



14-3 ROMEX



#	GAUGE	EYE	COLOR	EYE	LENGTH	DESCRIPTION
1	2 GA	3/8	RED	3/8	10' 6"	SWT TO ENG
2	2 GA	5/16	YELLOW	3/8	11'	GROUND
3	2 GA	3/8	RED	3/8	3'	ENG JUMPS
4	2 GA	5/16	YELLOW	3/8	2'	ENG JUMPS
5	4 GA	1/4	GREEN/YELLOW	3/4	12'	CHAIN PLATE GRD
6	4 GA	1/4	GREEN/YELLOW	3/4	12'	CHAIN PLATE GRD
7	4 GA	3/8	GREEN/YELLOW	3/8	2'	MAST POST GRD
8	4 GA	1/4	GREEN/YELLOW	3/8	28'	ARCH GROUND
9	14-3		ROMEX		53'	PORT OUTLET
10	14-3		ROMEX		22'	STBD OUTLET
11	14-3		ROMEX		15'	WATER HEATER
12	14-3		ROMEX		8'	BATT CHRG
13	14-3		ROMEX		24'	MICROWAVE


MODULE STAGE 24A

AIR CONDITIONING



#	EYE	SIZE	EYE	COLOR	LENGTH	DESCRIPTION
1		10-3		ROMEX	15'	AC POWER
2		14-3		ROMEX	15'	AC PUMP


WINDLASS



#	EYE	SIZE	EYE	COLOR	LENGTH	DESCRIPTION
1	5/16	2 GA	1/4	RED	16'	WINDLASS
2	5/16	2 GA	5/16	YELLOW	17'	WINDLASS GRD.
3	3/8	2 GA	1/4	RED	18"	WINDLASS JUMP
4	3/8	2 GA	3/8	RED	18"	WINDLASS JUMP
5	5/16	2 GA	5/16	RED	18"	WINDLASS REMOVE SWT

ENGINE STAGE 26

INVERTER




#	EYE	SIZE	EYE	COLOR	LENGTH	DESCRIPTION
1		10-3		ROMEX	8.5"	INVERTER INPUT
2		10-3		ROMEX	8.5"	INVERTER OUTPUT
3	5/16	2 GA	5/16	RED	5'	BATT TO INVERTER
4	5/16	2 GA	5/16	RED	3'	BATT TO INVERTER
5	5/16	2 GA	5/16	YELLOW	3'	BATT TO INVERTER
6	5/16	2 GA	5/16	YELLOW	5'	BATT TO INVERTER
7	3/8	2 GA	3/8	RED	1'	FUSE JUMPER
8	5/16	1/0	1/4	YELLOW/GREEN	3'	INVERTER GROUND

326
OPTIONS PAGE 2 OF 2


DECK RIGGING STAGE 34

HALYARD



#	EYE	SIZE	EYE	COLOR	LENGTH	DESCRIPTION
1	3/8	2 GA	3/8	RED	20'	HALYARD
2	3/8	2 GA	3/8	YELLOW	20'	HALYARD GRD.
3	3/8	2 GA	3/8	RED	2'	HALYARD JUMP
4	3/8	2 GA	3/8	YELLOW	2'	HALYARD JUMP
5		16 GA		BLUE	30'	HALYARD REMOVE SWT
6		16 GA		YELLOW	30'	HALYARD REMOVE SWT

TV/DVD



#	EYE	SIZE	EYE	COLOR	LENGTH	DESCRIPTION
1		12 GA		RED	18'	TV/DVD PWR
2		12 GA		YELLOW	18'	TV/DVD NEG.
3		RG59		COAX	40'	TV CABLE
4		22 GA		4 COND.	23'	PHONE CABLE