



HUNTER®

Introducing the NEW Hunter

30




# Hunter 30

## Standards and Options

Lenth Overall	30' 4 3/4".....	9.26 m
Hull Length	29' 11 3/4".....	9.13 m
Waterline Length	28' 01".....	8.55 m
Beam	11' 0 3/4".....	3.37 m
Draft (Shoal)	3' 11".....	1.19 m
Draft (Deep)	5' 06".....	1.68 m
Displacement (Shoal)	8505 lbs.....	3857.8 kg
Displacement (Deep)	8353 lbs.....	3788.9 kg
Ballast (Shoal)	2571 lbs.....	1166.2 kg
Ballast (Deep)	2456 lbs.....	1114.0 kg
Mast Height (Standard)	40'0 1/2".....	12.2 m
Mast Height (Furling)	44' 1".....	13.4m
Sail Area (Standard)	421 sq. ft.....	39.14 sq. m
Sail Area (Furling)	423 sq. ft.....	39.28 sq. m

I	32' 6 3/4".....	9.92 m
J	9' 9".....	2.97 m
P (Standard)	30'6".....	9.29 m
P (Furling)	33'5".....	10.19 m
E (Standard)	12' 7".....	3.84 m
E (Furling)	14' 9 3/4".....	4.51 m
Standard Cabin	Sleeps 5	
Headroom	6' 4".....	1.93m
Fuel Capacity	20 gal.....	75.7 l
Water Tank Capacity	50 gal.....	189 l
Holding Tank Capacity	20 gal.....	75.7 l
Water Heater	5 gal.....	19 l
Inboard Engine	21 hp.....	13.4kw

\*All measurements are approximate and subject to change without notice



## RIGGING

Anodized Fractional Rig — Selden®  
 Boom vang  
 Dual Single Line Reefing System  
 110% Furling Jib w/Acrylic Suncover  
 Jib Furling System  
 Inboard Jib Tracks w/Adjustable Cars  
 Internal Halyards Led to Cockpit  
 Large Roach Mainsail w/Flaking System  
 Mainsail Cover — Hunter Pac  
 Mainsheet on Arch  
 (2) Sets Triple Line Stoppers and Organizers  
 (2) Single Speed Self-Tailing Winches w/Handles  
 Windex® Wind Vane

## DECK/HULL

Anchor Roller  
 Anchor Well w/Space for Windlass  
 Balanced Spade Rudder  
 Bronze Through-Hull Fittings Below Waterline  
 Double Lifelines  
 Fiberglass Hull w/Structural Grid Reinforcement  
 Integrated Swim Platform  
 Keel — Antimonial Lead, Sheel Draft  
 360° Rub Rail w/Stainless Steel Insert  
 Maxguard Gelcoats for UV Protection  
 Molded-In Non-Skid Walking Surfaces  
 (3) Opening Hatches w/Screens  
 (4) Opening Ports w/Screens  
 Stainless Steel Arch w/Mainsheet  
 Stainless Steel Bow Pulpit  
 (6) Stainless Steel Bow, Stern and Spring Cleats  
 Stainless Steel Deck Handrails  
 Stainless Steel Telescoping Swim Ladder  
 Stainless Steel Stem Fitting  
 Stainless Steel Stern Rail with Seats  
 Through-Bolted Hull/Deck Joint

## COCKPIT

Cockpit Storage Locker  
 Removable Helm Seat  
 Hot/Cold Transom Shower  
 Integrated Wheel Console Including:  
 Lewmar® Direct Drive Steering System  
 w/Single Lever Engine Control, Wheel  
 Brake, Lighted Compass, and Stainless  
 Steel Wheel Guard  
 High Volume Manual Bilge Pump  
 Walk-Through Transom

## SYSTEMS/ELECTRONICS

AC/DC Switch Panel  
 Cabin Lighting  
 Deckside Power w/Cord  
 Deluxe Engine Panel w/Alarms and Hour Meter  
 12V Battery Switch  
 Electric Automatic Bilge Pump  
 Hot & Cold Pressure Water System  
 Isolation Transformer  
 Multiple AC Outlets in Cabin  
 Tank Gauges for Fuel, Water and Waste  
 Navigation Light Package  
 5 Gallon (19L) Water Heater  
 50 Gallon (151L) Fresh Water Capacity  
 20 Gallon (98L) Fuel Capacity  
 20 Gallon (76L) Waste Holding Tank  
 Yanmar® 21 HP Diesel Auxiliary  
 w/2-Blade Prop

## CABIN

Chart Table  
 Accordion Window Shades or Curtains  
 (2) Hanging Lockers  
 Everwear® Laminated Cabin Sole  
 Fully Enclosed Head w/Vanity and Shower  
 Handrails  
 Private Aft Cabin  
 Private Forward Cabin  
 AC and DC Electrical Outlets  
 Selected Hardwood Trim

## GALLEY

Icebox  
 Stainless Steel Sink  
 AC Electrical Outlet  
 Two-Burner LPG Stove  
 (4) Plates, Bowls & Mugs

## GENERAL SAFETY GROUP

Air Horn  
 Automatic Engine Room Fire Extinguishing System  
 Anchor and Line  
 Carbon Monoxide and Smoke Detectors  
 Emergency Tiller  
 (2) Fire Extinguishers  
 Handheld Flares  
 (4) Life Jackets  
 Throwable Device  
 US Sailing's Basic Cruising Manual

## OPTIONS

Air Conditioning  
 Aluminum Boom Vang  
 Arch-Mounted Bimini Top — Blue  
 \*Arch-Mounted Mainsheet Traveler  
 Autopilot  
 \*Battery Charger — 30 Amp  
 Bottom Paint — Blue  
 Cockpit Cushions  
 Cruising Spinnaker Gear  
 Deep Keel 5'6"  
 Electric Anchor Windlass  
 Epoxy Barrier Coat  
 \*Folding Wheel  
 13" Flat Panel TV w/DVD Player  
 \*Helm sheeting package  
 High Bilgewater Alarm and Pump  
 In-Mast Furling System w/Rigid Vang  
 \*Microwave Oven  
 Propeller — 3 Blade  
 \*Raymarine® ST40 Depthsounder w/Alarm  
 \*Raymarine® ST40 Knotmeter w/Leg  
 Raymarine® 4000 Autopilot  
 Raymarine® GPS  
 Raymarine® ST60 Wind  
 Raymarine® ST60 Depthsounder w/Alarm  
 Raymarine® ST60 Knotmeter w/Leg  
 Refrigeration System  
 Remote Mic for VHF  
 \*Stereo w/CD Player  
 \*VHF Radio w/Stainless Steel Antenna

## MARINER PACKAGE

- Battery charger
- ST-40 Knot and depth
- VHF Radio
- Folding wheel
- Traveler on Arch
- Microwave
- Sony Stereo
- Helm Sheeting



# Hunter 30



\*Preliminary Information. Subject to change without notice



**HUNTER**  
MARINE CORPORATION  
AN EMPLOYEE OWNERSHIP COMPANY

Route 441 ~ Post Office Box 1030 ~ Alachua, Florida USA 32615  
(386) 462-3077 ~ FAX (386) 462-4077 ~ Toll Free US only: (800) 771-5556

www.huntermarine.com ~ email: sales@huntermarine.com ~ customerservice@huntermarine.com

